INDEX OF AUTHORS
Volume 26, 1986

A

Abdul-Aziz, G. See Lede, J.

Aguayo, A. T. See Romero, A.

Aimar, P.
A study of selective electrodialysis and the possibilities offered by coupling with electrolysis 266

Albu, M., Dimitriu, R., and Cuiban, F.
The effect of higher *n*-paraffins on the pyrolysis of ethane and propane 451

Anthony, A. M. See Lede, J.

Arai, N., Yusawa, M., Hayashi, K., and Hasatani, M.
Partial combustion of surplus activated sludge in a countercurrent moving bed 114

Arce, A., Blanco, A., and Tojo, J.
Prediction of vapor-liquid equilibria in binary systems using the UNIFAC method. Comparison between the OH and CCOH groups in alcohols 278

Asano, K. and Matsuda, S.
Total and partial condensation of binary vapor mixtures of methanol and water on a vertical flat plate 671

B

Bardon, J. F. See Delaunay, D.

Bastick, M., Perrot, J.-M., and Weber, J.
General characteristics of coal gasification 243

Beránek, P. See Horak, J.

Bilbao, J. See Romero, A.

Blanco, A. See Arce, A.

Blasinski, H. and Krauze, S. M.
A method of moments for analyzing and predicting the outlet curve for an adsorption process. II. Methodology for estimating the outlet time and the height of the adsorption bed 340

Borlai, O. See Nagy, E.

Bransier, J. See Delaunay, D.

Brauer, H.
Biological purification of waste gases 387

Braun, C. See Lede, J.

Bureš, M.
A nonlinear equation describing the molar heat capacities of gases as a function of temperature 160

Brodberger, J. F., Valentin, G., and Storck, A.
Use of a conductimetric microprobe to study mixing within agitated reactors 69

C

Cales, B. See Lede, J.

Calusaru, A. and Volanschi, C.
The nonnumerical, mathematical expression of chemical structures and reactions. 1. The representation of chemical structures and computer algorithms by matrices 428

Part II. Reaction matrix operators and the chemical metric 441

Charpentier, J.-C. See Nagy, E.

Chen, D., Zhao, L., and Yang, G.
Expansion of large-scale fluidized beds with internals 155

Chen, S. and Fan, Y.
Axial dispersion of a gas in a fiber bed 149

Choi, C. See Park, J. S.

Corrieu, G. See Maingonnat, J. F.

Couanon, J.-C. and Mouton, H.
The coupling of internal forced convection and external natural convection for tubular elements 263

Cuiban, F. See Albu, M.

Cybulski, A. and Werner, K.
Static mixers—criteria for applications and selection 171

D

Delaunay, D., Bransier, J., and Bardon, J. F.
Modeling of cyclical latent heat storage 82

Detrez, C. and Houzelot, J. L.
Review of the design and scale-up of coal hydroliquefaction processes 458

Dimitriu, R. See Albu, M.

Dykyj, J. See Svoboda, J.

F

Fan, Y.. See Chen, S.

Frens, G.
Chemistry at interfaces: a tool in the processing of chips 724

Friedel, L. and Purps, S.
Models and design methods for sudden depressurization of gas/vapor-liquid reaction systems 396

Fukuda, T. See Idogawa, K.

Fullarton, D. and Schlünder, E. U.
Approximate calculation of heat exchanger area for condensation of gas-vapor mixtures 408

Furusaki, S. See Sakata, S.

Furusawa, T. See Kojima, T.

G

Gnielinski, V.
Correlations for the pressure drop in helically coiled tubes 36

Goto, S. See Sakurai, K.

H

Hammon, U. and Kotter, M.
Preparation of pellets with well-defined pore structure 563
Han, K. S. See Kim, H. T.
Hanaoka, H. See Inazumi, R.
Harano, Y. See Ogura, N.
Hasatani, M. See Arai, N.
Haroka, S. See Yamada, I.
Hayashi, K. See Arai, N.
Hirano, S. See Miyashita, H.
Horák, J. and Beránek, P.
Simulation of coke formation in a cooler for the reaction products of hydrocarbon pyrolysis 547
Hosenthien, P. See Schuart, L.
Houzelot, J.L. See Detrez, C.
Huang, B. See Yuan, Q.

I

Ido, T., Tariki, H., Sakurai, K., and Goto, S.
Intraparticle diffusion in solid phase-transfer catalyst for the oxidation of benzyl alcohol 105
Idogawa, K., Ikeda, K., Fukuda, T., and Morooka, S.
Behavior of bubbles of the air-water system in a column under high pressure 468
Ikeda, K. See Idogawa, K.
Inaba, A. and Yamakawa, T.
The catalyst and coal-ash balances in the direct liquefaction of coal in a tubular reactor and plugging of the reactor 479
Inazumi, R., Kawasaki, J., Suzuki, T., Watanabe, M., and Hanaoka, H.
The rate of mass transfer into a falling liquid film on an inclined plate 306
Inomata, H. See Yonemoto, T.
Inoue, I. See Ogawa, K.
Inoue, Y. and Ito, R.
Analysis of Bénard convection in an electrolytic solution divided by a membrane 513
Isozaki, A. See Usui, H.
Ito, R. See Inoue, Y.
Iwashita, K. See Usui, H.

K

Kajiuchi, T., Shiragami, N., and Miyagawa, I.
Pressure drop in divergent flow through a tapered tube 499
Kasaoka, S., Sakata, Y., and Shimada, M.
The sulfur tolerance of various catalysts for the gasification of coal char 705
Kawamura, Y. See Nishimura, T.
Kawasaki, J. See Inazumi, R.
Kim, H. T., Han, K. S., Park, C. K., and Lee, C. S.
Minimum velocity for transport of a sandwater slurry through a pipeline 731
Kim, L. H. See Park, J.S.
Kliefoth, J. See Mörl, L.
Kojima, T., Furusawa, T., and Kunii, D.
Measurement of the rate of gasification of coal and char using a fluidized bed 327
Kosaka, S. See Miyasugi, T.
Kotter, M. See Hammon, U.
Krauze, S. M. See Blasinski, H.
Krell, L. See Mörl, L.
Kunii, D. See Kojima, T.
Künne, H.-J. See Mörl, L.
Kuroda, C. See Ogawa, K.

L

Lafaille, J. P. See Mahenc, J.
Lapicque, F. See Lede, J.
Laurent, E. See Nagy, E.
Lede, J., Braun, C., Lapicque, F., Villermaux, J., Cales, B., Nigara, Y., Anthony, A. M., Abdul-Aziz, G., Puechberty, D., and Ledoux, M.
Preparation of hydrogen by the thermolysis of water 647
Ledoux, M. See Lede, J.
Lee, C. S. See Kim, H.T., and Shin, Y. J.
Lee, Z.
The graphical representation of thermodynamic functions of state 139
Li, J. See Yuan, Q.
Li, T. See Lin, Z.
Lin, Z., Shao, N., and Li, T.
Calculation of the effectiveness factor of a spherical catalyst using weighted residuals 335

M

Magaeva, S. and Radnai, G.
Evaluation of the chemical exergy (utilizable energy) of multicomponent solutions of liquid nonelectrolytes by means of the UNIFAC method 78
Mahenc, J., Lafaille, J. P., and Sanchez, V.
Estimation of the performance of hollow-fiber ultrafiltration modules 660
Maingonnat, J. F. and Corrieu, G.
A study of the thermal performance of a scraped-surface heat exchanger. Part 1. Review of the principal models describing heat transfer and power consumption 45
Part II. The effect of the axial diffusion of heat ... 55
Matsuda, S. See Asano, K.
Maurice, R. See Pascale, E.
Mayinger, F.
Boiling—the stabilizer and destabilizer of safe operation 373
Mewes, D. and Ostendorf, W.
Application of tomographic measurement techniques for process engineering studies 11

Miyagawa, I. See Kajiuchi, T.
Miyashita, H., Hirano, S., and Wakabayashi, K.
Mechanism of enhancement of mass transfer at a wall using turbulence promoters separated from the wall 475
Miyasugi, T., Yoshioka, S., Kosaka, S., and Suzuki, A.
Experimental study of a heat-exchanger-type steam reformer with a low steam/carbon ratio. Effect of carbon deposition on the distribution of the process gas and the temperature distribution in the catalyst tubes 130
Mori, H. See Murase, T.
Mörl, L.
Growth of granules in fluidized-bed drying, taking into account the formation of nuclei 236
Mörl, L., Krell, L., Künne, H.-J., and Kliefoth, J.
Calculation of the angle of repose on fluidized-bed plates 231
Mörl, L. and Künne, H.-J.
Granulate growth during unsteady-state operation in liquid-sprayed fluidized beds 423
Mörl, L. See Schuart, L.
Mörl, L. See Strümke, M.
Morooka, S. See Idogawa, K.
Mouton, H. See Couanon, J.-C.
Murase, T., Nakakura, H., Mori, H., and Shirato, M.
Estimation of the final average residual saturation of granular beds under gravitational and centrifugal drainage 689

N

Nagao, T.
The principle of similarity in the mechanics of granular materials. I. Theoretical foundation 716
Nagy, E., Borlai, O., Laurent, E., and Charpentier, J.-C.
Determination of the gas-liquid interfacial area of a perforated plate operating with cross flow 637
Nakakura, H. See Murase, T.
Nigara, Y. See Leded, J.
Nishimura, T., Ohori, Y., and Kawamura, Y.
Flow pattern and rate of mass transfer around two cylinders in tandem 123
Noda, S. See Tanaka, M.

O

Ogawa, K., Kuroda, C., and Inoue, I.
Jet flow of aqueous polyacrylamide solution from a cylindrical pipe 506
Ogura, N., Yano, M., and Harano, Y.
Hydrodenitrogenation of pyridine on monometallic and bimetallic catalysts 290
Ohori, Y. See Nishimura, T.
Oshima, T. See Suzuki, M.
O'shima, E. See Tanaka, M.
Ostendorf, W. See Mewes, D.

P

Park, C. K. See Kim, H. T.
Park, J. S., Choi, C. K., and Kim, L. H.
Mass transfer inside the droplets in the ternary phosphoric acid-*n*-octanol-water system 540
Pascale, E. and Maurice, R.
Application of capillary hydrodynamic chromatography to the classification of fibers and the separation of fibers from micrometer sized particles 257
Paul, H. See Schuart, L.
Perrot, J.-M. See Bastick, M.
Puechberty, D. See Lede, J.
Purps, S. See Friedel, L.

R

Raible, L. See Weisweiler, W.
Radnai, G. See Magaeva, S.
Repas, M. See Svoboda, J.
Retzlaff, B. See Weisweiler, W.
Rodriguez, Patino, J. M and Rosello Segado, A.
Rectification in a pool column in the absence of surface effects 271
Romero, A., Bilbao, J., and Aguayo, A. T.
The vacuum drying of silica gel for utilization as a support for silica-alumina catalysts 90
Rosello Segado, A. See Rodriguez Patino, J. M.

S

Sakata, S. and Furusaki, S.
The influence of a reduction in the surface area of immobilized enzyme particles by compaction in a packed column on the effectiveness factor for a Michaelis-Menten reaction 680
Sakata, Y. See Kasaoka, S.
Sakurai, K. See Ido, T.
Sanchez, V. See Mahenc, J.
Sano, Y. See Usui, H.
Sawada, M. See Yamada, I.
Schenkel, G.
Laminar velocity fields and volumetric rates of flow in ducts with a noncircular cross section 582
Schlünder, E. U. See Fullarton, D.
Schuart, L., Mörl, L., Hosenthien, P., and Paul, H.
Computer-aided development of quotations for fluidized-bed equipment 419
Schügerl, K.
Reaction engineering fundamentals relating to the design and operation of bioreactors. Part I 204
Part II 217
Schulz, S. See Sievers, U.
Sievers, U. and Schulz, S.
Thermodynamic properties of methane 590
Shao, N. See Lin, Z.
Shimada, M. See Kasaoka, S.

Shin, Y. J., Yun, C. H., and Lee, C. S.
A study of the start-up dynamics of a CMSMPR (continuous mixed-suspension mixed-product-removal) crystallizer. I. Approximate solution using the population-balance equation 348
Shiragami, N. See Kajiuchi, T.
Shirato, M. See Murase, T.
Sindo, T. See Yonemoto, T.
Storck, A. See Brodberger, J. F.
Strümke, M. and Mörl, L.
The discontinuous drying of granular materials with high initial moisture contents in fluidized beds ... 629
Suzuki, A. See Miyasugi, T.
Suzuki, M., Yagi, A., Watanabe, T., and Oshima, T.
Estimation of the void fraction in a bed randomly packed with particles of three sizes 491
Suzuki, T. See Inazumi, R.
Svoboda, J., Repas, M., and Dykyj, J.
Calculation of the constants in Antoine's equation 355

T

Tabis, B.
Criterion for the uniqueness of steady states in non-adiabatic tubular reactors 746
Tadaki, T. See Yonemoto, T.
Tamano, K.
Measurement of the size distribution of droplets by an electrical charge. Effect of the electrical charge at the instant of droplet formation 698
Tanaka, M., Noda, S., and O'shima, E.
Effect of the location of a submerged impeller on the enfoldment of air bubbles from the free surface in a stirred vessel 314
Tariki, H. See Ido, T.
Tojo, J. See Arce, A.

U

Usui, H., Sano, Y., Iwashita, K., and Isozaki, A.
Enhancement of heat transfer by a combination of an internally grooved rough tube and a twisted tape 97

V

Valentin, G. See Brodberger, J. F.
Villermaux, J. See Lede, J.
Volanschi, C. See Calusaru, A.

W

Wakabayashi, K. See Miyashita, H.
Watanabe, M. See Inazumi, R.
Watanabe, T. See Suzuki, M.
Weber, J. See Bastick, M.
Weisweiler, W., Retzlaff, B., and Raible, L.
Simultaneous absorption of sulfur dioxide and nitrogen monoxide in aqueous solutions of iron chelate complexes 574
Werner, K. See Cybulski, A.
Wiedmann, J. A.
The flooding behavior of two- and three-phase stirred reactors 189

Y

Yagi, A. See Suzuki, M.
Yamada, I., Sawada, M., Zhang, B. Q., and Haraoka, S.
Rapid solution of operation-type multicomponent distillation problems by the E-matrix method 534
Yamakawa, T. See Inaba, A.
Yang, G. See Chen, D.
Yano, M. See Ogura, N.
Yonemoto, T., Inomata, H., Sindo, T., and Tadaki, T.
Effect of liquid-phase ionic migration on the rate of absorption of carbon dioxide in aqueous solutions of sodium hydroxide 298
Yoshioka, S. See Miyasugi, T.
Yuan, Q., Huang, B., and Li, J.
Isothermal effectiveness factors of catalyst pellets with nonuniform activity 738
Yun, C. H. See Shin, Y. J.
Yusawa, M. See Arai, N.

Z

Zehner, P.
Momentum, mass and heat transfer in bubble columns. Part I. Flow model of the bubble column and liquid velocities 22
Zgurovskii, M. Z.
Algorithm for the optimal control of distributed technological processes as described in multidimensional Euclidian space 165
Zhang, B. Q. See Yamada, I.
Zhao, L. See Chen, D.
Zuiderweg, F.
Influence of the two-phase flow regimes on the separation performance of sieve plates 1

CONTENTS
Vol. 26, No. 1, January 1986

Zuiderweg, F.	1	Influence of the two-phase flow regimes on the separation performance of sieve plates, *Chemie-Ingenieur-Technik* **55**, No. 6 (1983), Federal Republic of Germany.
Mewes, D. and Ostendorf, W.	11	Application of tomographic measurement techniques for process engineering studies, *Chemie-Ingenieur-Technik* **55**, No. 11 (1983), Federal Republic of Germany.
Zehner, P.	22	Momentum, mass and heat transfer in bubble columns. Part 1. Flow model of the bubble column and liquid velocities, *Verfahrenstechnik* **16**, No. 5 (1982), Federal Republic of Germany.
Zehner, P.	29	Momentum, mass and heat transfer in bubble colums. Part 2. Axial blending and heat transfer, *Verfahrenstechnik* **16**, No. 6 (1982), Federal Republic of Germany.
Gnielinski, V.	36	Correlations for the pressure drop in helically coiled tubes, *Verfahrenstechnik* **17**, No. 12 (1983), Federal Republic of Germany.
Maingonnat, J. F. and Corrieu, G.	45	A study of the thermal performance of a scraped-surface heat exchanger. Part I. Review of the principal models describing heat transfer and power consumption, *Entropie*, No. 111 (1983), France.
Maingonnat, J. F. and Corrieu, G.	55	A study of the thermal performance of a scraped-surface heat exchanger. Part II. The effect of the axial diffusion of heat, *Entropie*, No. 111 (1983), France.
Brodberger, J. F., Valentin, G., and Storck, A.	69	Use of a conductimetric microprobe to study mixing within agitated reactors, *Entropie*, No. 112 (1983), France.
Magaeva, S. and Radnai, G.	78	Evaluation of the chemical exergy (utilizable energy) of multicomponent solutions of liquid nonelectrolytes by means of the UNIFAC method, *Entropie*, No. 115 (1984), France/Bulgaria/Hungary.
Delaunay, D., Bransier, J., and Bardon, J. F.	82	Modeling of cyclical latent heat storage, *Revue Générale de Thermique* **22**, No. 254 (1983), France.
Romero, A., Bilbao, J., and Aguayo, A. T.	90	The vacuum drying of silica gel for utilization as a support for silica-alumina catalysts, *Anales de Quimica de la Real Sociedad Espanola de Quimica, Quimica Fisica y Quimica Technica* **78**, No. 3 (1982), Spain.
Usui, H., Sano, Y., Iwashita, K., and Isozaki, A.	97	Enhancement of heat transfer by a combination of an internally grooved rough tube and a twisted tape, *Kagaku Kogaku Ronbunshu* **10**, No. 3 (1984), Japan.
Ido, T., Tariki, H., Sakurai, K., and Goto, S.	105	Intraparticle diffusion in solid phase-transfer catalyst for the oxidation of benzyl alcohol, *Kagaku Kogaku Ronbunshu* **10**, No. 3 (1984), Japan.
Arai, N., Yusawa, M., Hayashi, K., and Hasatani, M.	114	Partial combustion of surplus activated sludge in a countercurrent moving bed, *Kagaku Kogaku Ronbunshu* **10**, No. 3 (1984), Japan.

Nishimura, T., Ohori, Y., and Kawamura, Y. **123** Flow pattern and rate of mass transfer around two cylinders in tandem, *Kagaku Kogaku Ronbunshu* **10**, No. 3 (1984), Japan.

Miyasugi, T., Yoshioka, S., Kosaka, S., and Suzuki, A. **130** Experimental study of a heat-exchanger-type steam reformer *with a low steam/carbon ratio. Effect of carbon deposition on* the distribution of the process gas and the temperature distribution *in the catalyst tubes, Sekiyu Gakkaishi* **26**, *No. 2 (1983),* Japan.

Lee, Z. **139** *The graphical representation of thermodynamic functions of* state, *Huaxue Tongbao*, No. 1 (1982), People's Republic of *China.*

Chen, S. and Fan, Y. **149** *Axial dispersion of a gas in a fiber bed, Ranliao Huaxue* Xuebao **8**, No. 1 (1980), People's Republic of China.

Chen, D., Zhao, L., and Yang, G. **155** *Expansion of large-scale fluidized beds with internals, Hua-gong Xuebao*, No. 2 (1983), People's Republic of China.

Bureš, M. **160** A nonlinear equation describing the molar heat capacities of gases as a function of temperature, *Chemický Průmysl* **33**, No. 2 (1983), Czechoslovakia.

Zgurovskii, M.Z. **165** *Algorithm for the optimal control of distributed technological* processes as described in multidimensional Euclidian space, *Khimicheskaya Tekhnologiya, No. 1 (1983)*, Soviet Union.

Cybulski, A. and Werner, K. **171** Static mixers—criteria for applications and selection, Inzynieria i Aparatura Chemiczna **21**, No. 4 (1982), Poland.

181 *International Schedule of Chemical Engineering Meetings*

CONTENTS
Vol. 26, No. 2, April 1986

Wiedmann, J. A. **189** The flooding behavior of two- and three-phase stirred reactors, *Chemie-Ingenieur-Technik* **55**, No. 9 (1983), Federal Republic of Germany.

Schügerl, K. **204** Reaction engineering fundamentals relating to the design and *operation of bioreactors. Part I, Chemie-Ingenieur-Technik* **55**, No. 12 (1983), Federal Republic of Germany.

Schügerl, K. **217** Reaction engineering fundamentals relating to design and operation of bioreactors, Part II, *Chemie-Ingenieur-Technik* **56**, No. 8 (1984), Federal Republic of Germany.

Mörl, L., Krell, L., Künne, H.-J., and Kliefoth, J. **231** *Calculation of the angle of repose on fluidized-bed plates,* *Chemische Technik* **35**, No. 5 (1983), German Democratic *Republic*

Mörl, L. **236** Growth of granules in fluidized-bed, taking into account the formation of nuclei, *Wissenschaftliche Zeitschrift der Technischen Hochschule Otto von Guericke Magdeburg* **24**, No. 6 (1980), German Democratic Republic.

Bastick, M., Perrot, J.-M., and Weber, J. **243** General characteristics of coal gasification, *Entropie* **19**, No. 113–114 (1983), France.

Pascale, E. and Maurice, R. — 257 Application of capillary hydrodynamic chromatography to the classification of fibers and the separation of fibers from micrometer sized particles, *Entropie* **20**, No. 115 (1984), France.

Couanon, J.-C. and Mouton, H. — 263 The coupling of internal forced convection and external natural convection for tubular elements, *Revue Générale de Thermique*, No. 268 (1984), France.

Rodriguez Patino, J. M. and Rosello Segado, A. — 271 Rectification in a pool column in the absence of surface effects, *Anales de Quimica de la Real Sociedad Espanola de Quimica, Serie A: Quimica Fisica y Quimica Tecnica* **79**, No. 3 (1983), Spain.

Arce, A., Blanco, A., and Tojo, J. — 276 Prediction of vapor-liquid equilibria in binary systems using the UNIFAC method. Comparison between the OH and CCOH groups in alcohols, *Anales de Quimica de la Real Sociedad Espanola de Quimica, Seria A: Quimica Fisica y Quimica Tecnica* **79**, No. 3 (1983), Spain.

Ogura, N., Yano, M., and Harano, Y. — 290 Hydrodenitrogenation of pyridine on monometallic and bimetallic catalysts, *Sekiyu Gakkaaishi* **26**, No. 5 (1983), Japan.

Yonemoto, T., Inomata, H., Sindo, T., and Tadaki, T. — 298 Effect of liquid-phase ionic migration on the rate of absorption of carbon dioxide in aqueous solutions of sodium hydroxide, *Kagaku Kogaku Ronbunshu* **10**, No. 4 (1984), Japan.

Ianazumi, R., Kawasaki, J., Suzuki, T., Watanabe, M., and Hanaoka, H. — 306 The rate of mass transfer into a falling liquid film on an inclined plate, *Kagaku Kogaku Ronbunshu* **10**, No. 4 (1984) Japan.

Tanaka, M., Noda, S., and O'shima, E. — 314 Effect of the location of a submerged impeller on the enfoldment of air bubbles from the free surface in a stirred vessel, *Kagaku Kogaku Ronbunshu* **10**, No. 4 (1984), Japan.

Kojima, T., Furusawa, T., and Kunii, D. — 327 Measurement of the rate of gasification of coal char using a fluidized bed, *Kagaku Kogaku Ronbunshu* **10**, No. 5 (1984), Japan.

Lin, Z., Shao, N., and Li, T. — 335 Calculation of the effectiveness factor of a spherical catalyst using weighted residuals, *Huagong Xuebao*, No. 1 (1984), People's Republic of China.

Blasinski, H. and Krauze, S. M. — 340 A method of moments for analyzing and predicting the outlet curve for an adsorption process. II. Methodology for estimating the outlet time and the height of the adsorption bed, *Inzynieria Chemiczna i Procesowa* **3**, No. 1 (1982), Poland.

Shin, Y. J., Yun, C. H., and Lee, C. S. — 348 A study of the start-up dynamics of a CMSMPR (continuous mixed-suspension mixed-product-removal) crystallizer. I. Approximate solution using the population-balance equation, *Hwahak Konghak* **22**, No. 1 (1984), Republic of Korea.

Svoboda, J., Repas, M., and Dykyj, J. — 355 Calculation of the constants in Antoine's equation, *Chemický Průmysl* **33**, No. 5 (1983), Czechoslovalia.

360 International Schedule of Future Chemical Engineering Meetings.

CONTENTS
Vol. 25, No. 3, July 1986

Mayinger, F. **373** Boiling—the stabilizer and destabilizer of safe operation, *Chemie-Ingenieur-Technik* **56**, No. 3 (1984), Federal Republic of Germany.

Brauer, H. **387** Biological purification of waste gases, *Chemie-Ingenieur-Technik* **56**, No. 4 (1984), Federal Republic of Germany.

Friedel, L. and Purps, S. **396** Models and design methods for sudden depressurization of gas/vapor-liquid reaction systems, *Chemie-Ingenieur-Technik* **56**, No. 5 (1984), Federal Republic of Germany.

Fullarton, D. and Schlünder, E. U. **408** Approximate calculation of heat exchanger area for condensation of gas-vapor mixtures, *Chemical Engineering and Processing* **18**, No. 5 (1984), Federal Republic of Germany.

Schuart, L., Mörl, L., Hosenthien, P., and Paul, H. **419** Computer-aided development of quotations for fluidized-bed equipment, *Wissenschaftliche Zeitschrift der Technischen Hochschule Otto von Guericke Magdeburg* **26**, No. 2 (1982), Democratic Republic of Germany.

Mörl, L. and Künne, H.-J. **423** Granulate growth during unsteady-state operation in liquid-sprayed fluidized beds, *Wissenschaftliche Zeitschrift der Technischen Hochschule Otto von Guericke Magdeburg* **26**, No. 1 (1982), Democratic Republic of Germany.

Calusaru, A. and Volanschi, C. **428** The nonnumerical, mathematical expression of chemical structures and reactions. I. The representation of chemical structures and computer algorithms by matrices, *Revista de Chemie* (Bucharest) **35**, No. 4 (1984), Romania.

Calusaru, A. and Volanschi, C. **441** The nonnumerical mathematical expression of chemical structures and reactions. II. Reaction matrix operators and the chemical metric, *Revista de Chimie* (Bucharest) **35**, No. 7 (1984), Romania.

Albu, M., Dimitriu, R., and Cuiban, F. **451** The effect of higher *n*-paraffins on the pyrolysis of ethane and propane, *Revista de Chimie* (Bucharest) **35**, No. 7 (1984), Romania.

Detrez, C. and Houzelot, J. L. **458** Review of the design and scale-up of coal hydroliquefaction processes, *Entropie*, No. 113-114 (1983), France.

Idogawa, K., Ikeda, K., Fukuda, T., and Morooka, S. **468** Behavior of bubbles of the air-water system in a column under high pressure, *Kagaku Kogaku Ronbunshu* **11**, No. 3 (1985), Japan.

Miyashita, H., Hirano, S., and Wakabayashi, K. **475** Mechanism of enhancement of mass transfer at a wall using turbulence promoters separated from the wall, *Kagaku Kogaku Ronbunshu* **10**, No. 5 (1984), Japan.

Inaba, A. and Yamakawa, T. **479** The catalyst and coal-ash balances in the direct liquefaction of coal in a tubular reactor and plugging of the reactor, *Kagaku Kogaku Ronbunshu* **10**, No. 6 (1984), Japan.

Suzuki, M., Yagi, A., Watanabe, T., and Oshima, T. **491** Estimation of the void fraction in a bed randomly packed with particles of three sizes, *Kagaku Kogaku Ronbunshu* **10**, No. 6 (1984), Japan.

Kajiuchi, T., Shiragami, N., and Miyagawa, I. **499** Pressure drop in divergent flow through a tapered tube, *Kagaku Kogaku Ronbunshu* **10**, No. 6 (1984), Japan.

Ogawa, K., Kuroda, C., and Inoue, I. **506** Jet flow of aqueous polyacrylamide solution from a cylindrical pipe, *Kagaku Kogaku Ronbunshu* **10**, No. 6 (1984), Japan.

Inoue, Y. and Ito, R. **513** Analysis of Bénard convection in an electrolytic solution divided by a membrane, *Kagaku Kogaku Ronbunshu* **10**, No. 6 (1984), Japan.

Inoue, Y., Saeki, S., and Ito, R. **527** Experimental study of Bénard convection in an electrolytic solution divided by a membrane, *Kagaku Kogaku Ronbunshu* **10**, No. 6 (1984), Japan.

Yamada, I., Sawada, M., Zhang, B. Q., and Haraoka, S. **534** Rapid solution of operation-type multicomponent distillation problems by the E^V-matrix method, *Sekiyu Gakkaishi* **26**, No. 6 (1983), Japan.

Park, J. S., Choi, C. K., and Kim, L. H. **540** Mass transfer inside the droplets in the ternary phosphoric acid-*n*-octanol-water system, *Hwahak Konghak* **22**, No. 2 (1984), Republic of Korea.

Horák, J. and Beránek, P. **547** Simulation of coke formation in a cooler for the reaction products of hydrocarbon pyrolysis, *Chemický Průmysl* **33**, No. 4 (1983), Czechoslovakia.

554 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 26, No. 4, October 1986

Hammon, U. and Kotter, M. **563** Preparation of pellets with well-defined pore structure, *Chemie-Ingenieur-Technik* **56**, No. 6 (1984), Federal Republic of Germany.

Weisweiler, W., Retzlaff, B., and Raible, L. **574** Simultaneous absorption of sulfur dioxide and nitrogen monoxide in aqueous solutions of iron chelate complexes, *Chemical Engineering and Processing* **18**, March/April (1984), Federal Republic of Germany.

Schenkel, G. **582** Laminar velocity fields and volumetric rates of flow in ducts with a noncircular cross section, *Chemical Engineering Processing* **18**, July/August (1984), Federal Republic of Germany.

Sievers, U. and Schulz, S. **590** Thermodynamic properties of methane, *VDI Forschungsheft*, No. 622 (1984), Federal Republic of Germany.

Strümke, M. and Mörl, L. **629** The discontinuous drying of granular materials with high initial moisture contents in fluidized beds, *Wissenschaftliche Zeitschrift der Technischen Hochschule Otto von Guericke Magdeburg* **26**, No. 1 (1982), German Democratic Republic.

Nagy, E., Borlai, O., Laurent, E., and Charpentier, J.-C. **637** Determination of the gas-liquid interfacial area of a perforated plate operating with cross flow, *Entropie* **19**, No. 111 (1983), France.

Lede, J., Braun, C., Lapicque, F., Villermaux, J., Cales, B., Nigara, Y., Anthony, A. M., Abdul-Aziz, G., Puechberty, D., and Ledoux, M. **647** Preparation of hydrogen by the thermolysis of water, *Entropie* **20**, No. 116/117 (1984), France.

Mahenc, J., Lafaille, J. P., and Sanchez, V. **660** Estimation of the performance of hollow-fiber ultrafiltration modules, *Entropie* **20**, No. 118 (1984), France.

Asano, K. and Matsuda, S. **671** Total and partial condensation of binary vapor mixtures of methanol and water on vertical flat plate, *Kagaku Kogaku Ronbunshu* **11**, No. 1 (1985), Japan.

Sakata, S. and Furusaki, S. **680** The influence of a reduction in the surface area of immobilized enzyme particles by compaction in a packed column on the effectiveness factor for a Michaelis-Menten reaction, *Kagaku Kogaku Ronbunshu* **11**, No. 1 (1985), Japan.

Murase, T., Nakakura, H., Mori, H., and Shirato, M. **689** Estimation of the final average residual saturation of granular beds under gravitational and centrifugal drainage, *Kagaku Kogaku Ronbunshu* **11**, No. 1 (1985), Japan.

Tamano, K. **698** Measurement of the size distribution of droplets by an electrical charge. Effect of the electrical charge at the instant of droplet formation, *Kagaku Kogaku Ronbunshu* **10**, No. 5 (1984), Japan.

Kasaoka, S., Sakata, Y., and Shimada, M. **705** The sulfur tolerance of various catalysts for the gasification of coal char, *Nenryo Kyokaishi* **63**, No. 10 (1984), Japan.

Nagao, T. **716** The principle of similarity in the mechanics of granular materials. 1. Theoretical foundation, *Funtai Kogaku Kaishi* **21**, No. 7 (1984), Japan.

Frens, G. **724** Chemistry at interfaces: a tool in the processing of chips, *Chemisch Magazine*, No. 9 (1984), The Netherlands.

Kim, H. T., Han, K. S., Park, C. K., and Lee, C. S. **731** Minimum velocity for transport of a sand-water slurry through a pipeline, *Hwahak Konghak* **22**, No. 3 (1984), Republic of Korea.

Yuan, Q., Huang, B., and Li, J. **738** Isothermal effectiveness factors of catalyst pellets with non-uniform activity, *Huagong Xuebao*, No. 4 (1983), People's Republic of China.

Tabis, B. **746** Criterion for the uniqueness of steady states in nonadiabatic tubular reactors, *Inzynieria Chemiczna i Procesowa* **4**, No. 1 (1983), Poland.

751 Index of authors, Volume 26, Nos. 1, 2, 3 and 4 (1985).

755 Contents, Volume 26, Nos. 1, 2, 3 and 4 (1986).

761 International Schedule of Chemical Engineering Meetings.